

Lobee Pump and Machinery Co.

5/17/2011

#P132010-S, PRICE LIST EFFECTIVE April 1, 2011

MINIMUM ORDER \$25.00 - All prices subject to change without notice. Orders accepted subject to prices prevailing at time of shipment.

Prices do not include freight or taxes. FOB Gasport, NY 14067

MODEL S & SA VERTICAL SUMP PUMP PARTS PRICE LIST

Always specify model/serial number when ordering parts.

Description	Qty/pump	CAST IRON		BRONZE		316 STAINLESS STEEL		Item
		Part No.		Part No.		Part No.		
Casing	1	SP1-I		SP1-B		SP1-S		20
Impeller	1	SP2-I		SP2-B		SP2-S		19
Suction Cover (SA Model only)	1	SP4-I		SP4-B		SP4-S		22
Thrust Bearing	1	SP-14		SP-14		SP-14		9
Sleeve Bearing - Bronze or Rulon™	1	*SP-15		*SP-15		SP-29		16
Motor Half Coupling, 5/8"	1	SP-16		SP-16		SP-16		6
Motor Coupling Spyder (rubber element)	1	SP-30		SP-30		SP-30		7
Pump Half Coupling, 3/4"	1	SP-17		SP-17		SP-17		8
Base (S Model only)	1	SP3-I		SP3-B		SP3-S		21
Motor Mount (cast iron all pumps)	1	SP5-I		SP5-I		SP5-I		10
Intermediate Oilite Bearing		*SP-15		*SP-15		SP-29		16
For 4 1/2'-8 1/2' pump	1							
For 9' and 9 1/2' pump	2							
Float (for up to 5' pump length), brass	1	SP-19		SP-19				15
Float (for 5 1/2' and over pump length), brass	1	SP-19A		SP-19A				15
Float (all pump lengths), 316 S.S.	1					SP-19B		15
Stops, aluminum (3 required in iron pump)	2	SP8-A		SP8-A				5
Stops, brass	1			SP8-B				5
Stops, S.S.	1					SP8-S		5
Strainer (SA Model only)	1	SPF3-I		SPF3-B		SPF3-S		21
Float Rod Guide	1	SP7A1/2		SP-7		SP-7		13
Float Switch Bracket (for DG-2)	1	SP-9		SP-9		SP-9		4
Float Switch Bracket (for DW-31 & DR-31)	1	SP-9A		SP-9A		SP-9A		4
Intermediate Bearing Housing		SP6-I		SP6-B		SP6-S		25
For 4 1/2'-8 1/2' pump	1							
For 9' and 9 1/2' pump	2							
Impeller Key	2	SP-24		SP-24		SP-24		17
Aluminum Split Cover Plate	1	SP6A1/2		SP6A1/2		SP6A1/2		11
1 1/2" 45 degree Elbow (SA Model only)	1	SP-25		SP-25A		SP-25B		24
Impeller Tapered Pin	2	SP-23		SP-23		SP-23		18
Float Switch 9036, DG-2 General Purpose	1	SP-18						2
Float Switch 9036, DW-31 Water Tight	1	SP-22						2
Float Switch 9036, DR-31 Explosion Proof	1	SP-32						2
3/8 X 5/16 Set Screw		SPU11-186Q						24a
	7	Without Intermediate Bearing						
	13	With Intermediate Bearing						

Notes:


- * Bronze Bearings good only up to 180 degrees operating temperatures. For higher operating temperatures, and for applications which cannot accept any bronze parts, the S-29 Rulon Bearing can be substituted. See S-29 pricing under "316 Stainless Steel".

Lobee Pump and Machinery Co.

MODEL S & SA VERTICAL SUMP PUMP PARTS PRICE LIST

Always specify model/serial number when ordering parts.

MODEL SA FLOOR MOUNT



Lobee Pump and Machinery Co.

Part No.	Description - DRIVE SHAFTS	Item
SP-10-2	VSP S Drive Shaft, 416 Stainless Steel-2'	14
SP-10-3	VSP S Drive Shaft, 416 Stainless Steel-3'	14
SP-10-4	VSP S Drive Shaft, 416 Stainless Steel-4'	14
SP-10-5	VSP S Drive Shaft, 416 Stainless Steel-5'	14
SP-10-6	VSP S Drive Shaft, 416 Stainless Steel-6'	14
SP-10-7	VSP S Drive Shaft, 416 Stainless Steel-7'	14
SP-10-8	VSP S Drive Shaft, 416 Stainless Steel-8'	14
SP-10-9	VSP S Drive Shaft, 416 Stainless Steel-9'	14
SP-10-10	VSP S Drive Shaft, 416 Stainless Steel-10'	14
SP-10S-3	VSP S Drive Shaft, 316 Stainless Steel-3'	14
SP-10S-4	VSP S Drive Shaft, 316 Stainless Steel-4'	14
SP-10S-5	VSP S Drive Shaft, 316 Stainless Steel-5'	14
SP-10S-6	VSP S Drive Shaft, 316 Stainless Steel-6'	14
SP-10S-7	VSP S Drive Shaft, 316 Stainless Steel-7'	14
SP-10S-8	VSP S Drive Shaft, 316 Stainless Steel-8'	14
SP-10S-9	VSP S Drive Shaft, 316 Stainless Steel-9'	14
SP-10S-10	VSP S Drive Shaft, 316 Stainless Steel-10'	14
SPA-10-2	VSP SA Drive Shaft, 416 Stainless Steel-2'	14
SPA-10-2.5	VSP SA Drive Shaft, 416 Stainless Steel-2.5'	14
SPA-10-3	VSP SA Drive Shaft, 416 Stainless Steel-3'	14
SPA-10-3.5	VSP SA Drive Shaft, 416 Stainless Steel-3.5'	14
SPA-10-4	VSP SA Drive Shaft, 416 Stainless Steel-4'	14
SPA-10-5	VSP SA Drive Shaft, 416 Stainless Steel-5'	14
SPA-10-6	VSP SA Drive Shaft, 416 Stainless Steel-6'	14
SPA-10-6.5	VSP SA Drive Shaft, 416 Stainless Steel-6.5'	14
SPA-10-7	VSP SA Drive Shaft, 416 Stainless Steel-7'	14
SPA-10-8	VSP SA Drive Shaft, 416 Stainless Steel-8'	14
SPA-10-9	VSP SA Drive Shaft, 416 Stainless Steel-9'	14
SPA-10-10	VSP SA Drive Shaft, 416 Stainless Steel-10'	14
SPA-10S-3	VSP SA Drive Shaft, 316 Stainless Steel-3'	14
SPA-10S-4	VSP SA Drive Shaft, 316 Stainless Steel-4'	14
SPA-10S-5	VSP SA Drive Shaft, 316 Stainless Steel-5'	14
SPA-10S-6	VSP SA Drive Shaft, 316 Stainless Steel-6'	14
SPA-10S-7	VSP SA Drive Shaft, 316 Stainless Steel-7'	14
SPA-10S-8	VSP SA Drive Shaft, 316 Stainless Steel-8'	14
SPA-10S-9	VSP SA Drive Shaft, 316 Stainless Steel-9'	14
SPA-10S-10	VSP SA Drive Shaft, 316 Stainless Steel-10'	14

Part No.	Description - COLUMN PIPES	Item
SP-12-2	VSP S Column Pipe, Iron-2'	12
SP-12-3	VSP S Column Pipe, Iron-3'	12
SP-12-4	VSP S Column Pipe, Iron-4'	12
SP-12-5	VSP S Column Pipe, Iron-5'	12
SP-12-6	VSP S Column Pipe, Iron-6'	12
SP-12-7	VSP S Column Pipe, Iron-7'	12
SP-12-8	VSP S Column Pipe, Iron-8'	12
SP-12-9	VSP S Column Pipe, Iron-9'	12
SP-12-10	VSP S Column Pipe, Iron-10'	12
SP-12B-3	VSP S Column Pipe, Bronze-3'	12
SP-12B-4	VSP S Column Pipe, Bronze-4'	12
SP-12B-5	VSP S Column Pipe, Bronze-5'	12
SP-12B-6	VSP S Column Pipe, Bronze-6'	12
SP-12B-7	VSP S Column Pipe, Bronze-7'	12
SP-12B-8	VSP S Column Pipe, Bronze-8'	12
SP-12B-9	VSP S Column Pipe, Bronze-9'	12
SP-12B-10	VSP S Column Pipe, Bronze-10'	12
SP-12S-3	VSP S Column Pipe, 316 Stainless Steel-3'	12
SP-12S-4	VSP S Column Pipe, 316 Stainless Steel-4'	12
SP-12S-5	VSP S Column Pipe, 316 Stainless Steel-5'	12
SP-12S-6	VSP S Column Pipe, 316 Stainless Steel-6'	12
SP-12S-7	VSP S Column Pipe, 316 Stainless Steel-7'	12
SP-12S-8	VSP S Column Pipe, 316 Stainless Steel-8'	12
SP-12S-9	VSP S Column Pipe, 316 Stainless Steel-9'	12
SP-12S-10	VSP S Column Pipe, 316 Stainless Steel-10'	12
SPA-12-3	VSP SA Column Pipe, Iron-3'	12
SPA-12-4	VSP SA Column Pipe, Iron-4'	12
SPA-12-5	VSP SA Column Pipe, Iron-5'	12
SPA-12-6	VSP SA Column Pipe, Iron-6'	12
SPA-12-7	VSP SA Column Pipe, Iron-7'	12
SPA-12-8	VSP SA Column Pipe, Iron-8'	12
SPA-12-9	VSP SA Column Pipe, Iron-9'	12
SPA-12-10	VSP SA Column Pipe, Iron-10'	12
SPA-12B-3	VSP SA Column Pipe, Bronze-3'	12
SPA-12B-4	VSP SA Column Pipe, Bronze-4'	12
SPA-12B-5	VSP SA Column Pipe, Bronze-5'	12

Lobee Pump and Machinery Co.

SP-10-5	VSP S Drive Shaft, 416 Stainless Steel-5'	14
SPA-12B-6	VSP SA Column Pipe, Bronze-6'	12
SPA-12B-7	VSP SA Column Pipe, Bronze-7'	12
SPA-12B-8	VSP SA Column Pipe, Bronze-8'	12
SPA-12B-9	VSP SA Column Pipe, Bronze-9'	12
SPA-12B-10	VSP SA Column Pipe, Bronze-10'	12
SPA-12S-3	VSP SA Column Pipe, 316 Stainless Steel-3'	12
SPA-12S-4	VSP SA Column Pipe, 316 Stainless Steel-4'	12
SPA-12S-5	VSP SA Column Pipe, 316 Stainless Steel-5'	12
SPA-12S-6	VSP SA Column Pipe, 316 Stainless Steel-6'	12
SPA-12S-7	VSP SA Column Pipe, 316 Stainless Steel-7'	12
SPA-12S-8	VSP SA Column Pipe, 316 Stainless Steel-8'	12
SPA-12S-9	VSP SA Column Pipe, 316 Stainless Steel-9'	12
SPA-12S-10	VSP SA Column Pipe, 316 Stainless Steel-10'	12

Part No.	Description - DISCHARGE PIPES	Item
SP-13-3	VSP SA Discharge Pipe, Iron-3'	23
SP-13-4	VSP SA Discharge Pipe, Iron-4'	23
SP-13-5	VSP SA Discharge Pipe, Iron-5'	23
SP-13-6	VSP SA Discharge Pipe, Iron-6'	23
SP-13-7	VSP SA Discharge Pipe, Iron-7'	23
SP-13-8	VSP SA Discharge Pipe, Iron-8'	23
SP-13-9	VSP SA Discharge Pipe, Iron-9'	23
SP-13-10	VSP SA Discharge Pipe, Iron-10'	23
SP-13B-3	VSP SA Discharge Pipe, Bronze-3'	23
SP-13B-4	VSP SA Discharge Pipe, Bronze-4'	23
SP-13B-5	VSP SA Discharge Pipe, Bronze-5'	23
SP-13B-6	VSP SA Discharge Pipe, Bronze-6'	23
SP-13B-7	VSP SA Discharge Pipe, Bronze-7'	23
SP-13B-8	VSP SA Discharge Pipe, Bronze-8'	23
SP-13B-9	VSP SA Discharge Pipe, Bronze-9'	23
SP-13B-10	VSP SA Discharge Pipe, Bronze-10'	23
SP-13S-3	VSP SA Discharge Pipe, 316 Stainless Steel-3'	23
SP-13S-4	VSP SA Discharge Pipe, 316 Stainless Steel-4'	23
SP-13S-5	VSP SA Discharge Pipe, 316 Stainless Steel-5'	23
SP-13S-6	VSP SA Discharge Pipe, 316 Stainless Steel-6'	23
SP-13S-7	VSP SA Discharge Pipe, 316 Stainless Steel-7'	23
SP-13S-8	VSP SA Discharge Pipe, 316 Stainless Steel-8'	23
SP-13S-9	VSP SA Discharge Pipe, 316 Stainless Steel-9'	23
SP-13S-10	VSP SA Discharge Pipe, 316 Stainless Steel-10'	23

Part No.	Description - FLOAT RODS	Item
SP-20-2	VSP Float Rod, Aluminum-2'	3
SP-20-3	VSP Float Rod, Aluminum-3'	3
SP-20-4	VSP Float Rod, Aluminum-4'	3
SP-20-5	VSP Float Rod, Aluminum-5'	3
SP-20-6	VSP Float Rod, Aluminum-6'	3
SP-20-7	VSP Float Rod, Aluminum-7'	3
SP-20-8	VSP Float Rod, Aluminum-8'	3
SP-20-9	VSP Float Rod, Aluminum-9'	3
SP-20-10	VSP Float Rod, Aluminum-10'	3
SP-20B-3	VSP Float Rod, Brass-3'	3
SP-20B-4	VSP Float Rod, Brass-4'	3
SP-20B-5	VSP Float Rod, Brass-5'	3
SP-20B-6	VSP Float Rod, Brass-6'	3
SP-20B-7	VSP Float Rod, Brass-7'	3
SP-20B-8	VSP Float Rod, Brass-8'	3
SP-20B-9	VSP Float Rod, Brass-9'	3
SP-20B-10	VSP Float Rod, Brass-10'	3
SP-20S-3	VSP Float Rod, 316 Stainless Steel-3'	3
SP-20S-4	VSP Float Rod, 316 Stainless Steel-4'	3
SP-20S-5	VSP Float Rod, 316 Stainless Steel-5'	3
SP-20S-6	VSP Float Rod, 316 Stainless Steel-6'	3
SP-20S-7	VSP Float Rod, 316 Stainless Steel-7'	3
SP-20S-8	VSP Float Rod, 316 Stainless Steel-8'	3
SP-20S-9	VSP Float Rod, 316 Stainless Steel-9'	3
SP-20S-10	VSP Float Rod, 316 Stainless Steel-10'	3

Part No.	Description - ELECTRIC MOTORS	Item
T12	TEFC Motor(1ph)-1/2 HP, 56C Frame, Footless(roundbody), 1800 RPM, 1/60/115-208VAC Std Eff.	1
T13	TEFC Motor(1ph)-1/3 HP, 56C Frame, Footless(roundbody), 1800 RPM, 1/60/115-208VAC Std Eff.	1
T14	TEFC Motor(1ph)-3/4 HP, 56C Frame, Footless(roundbody), 1800 RPM, 1/60/115-208VAC Std Eff.	1
T32	TEFC Motor(3 ph)-1/2 HP, 56C Frame, Footless(roundbody), 1800 RPM, 3/60/208-230/460VAC Std Eff.	1
T33	TEFC Motor(3 ph)-1/3 HP, 56C Frame, Footless(roundbody), 1800 RPM, 3/60/208-230/460VAC Std Eff.	1
T34	TEFC Motor(3 ph)-3/4 HP, 56C Frame, Footless(roundbody), 1800 RPM, 3/60/208-230/460VAC Std Eff.	1
E12	XP Motor(1ph)-1/2 HP, 56C Frame, Footless(roundbody), 1800 RPM, 1/60/115-230VAC Std Eff.	1
E13	XP Motor(1ph)-1/3 HP, 56C Frame, Footless(roundbody), 1800 RPM, 1/60/115-208VAC Std Eff.	1
E14	XP Motor(1ph)-3/4 HP, 56C Frame, Footless(roundbody), 1800 RPM, 1/60/115-208VAC Std Eff.	1
E32	XP Motor(3 ph)-1/2 HP, 56C Frame, Footless(roundbody), 1800 RPM, 3/60/208-230/460VAC Std Eff.	1
E33	XP Motor(3 ph)-1/3 HP, 56C Frame, Footless(roundbody), 1800 RPM, 3/60/208-230/460VAC Std Eff.	1
E34	XP Motor(3 ph)-3/4 HP, 56C Frame, Footless(roundbody), 1800 RPM, 3/60/208-230/460VAC Std Eff.	1